

Tremco 830

Table of Contents

Tremco 830 Color Chart - EN

1

Tremco 830 LEED Letter - EN

2

TREMCO® 830

Thermoplastic Window,
Door & Siding Sealant



STANDARD COLORS

TRANSLUCENT	CLEAR	WHITE	WOLF WHITE	POLAR WHITE	ARCTIC WHITE	LINEN	MOCHA	IVORY K	BEIGE
MIST GRAY	PEARL GRAY	SLATE GRAY	GRAYSTONE	MATCHCOAT S.W.	WICKER	ALMOND	RIVER ROCK	SAND XL	COFFEE
KAKI	CLAY	PRESTIGE BEIGE	SANDALWOOD	SABLE CACTUS	TIMBERTONE	RUSTIC ACADIA	GRANITE XL	RUSTIC GRANITE	BRONZE K
RUSTIC SIERRA	SIERRA	RUSTIC WALNUT	BROWN	DARK BROWN	RUSTIC BROWN	CHOCOLATE BROWN	BARNWOOD	BUFF	REDWOOD TAN
RUSTIC CEDAR	COLONIAL RED	COUNTRY RED	FOREST GREEN K	MIST BLUE	CHARCOAL K	IRON ORE	BLACK		

SPECIAL COLORS*

BONE WHITE	BISQUE	ROYAL CLAY	YELLOWSTONE	W.C. SANDSTONE	ACADIA	FALAISE	WALNUT	SIERRA	GRANITE
MAIZE	TRU 240	TRU 250	RED FOX	BARISTA	ANTIQUE BROWN	TIMBERWOLF	LITTORAL	IRON STONE	THUNDER BLUE
TRU 260									

*Special colors available upon request. Minimum order requirements exist for special colors.

All colors shown are approximate and may not reflect sheen or shade precisely, as varying amounts of aggregate will alter light-reflecting properties. Tremco always recommends a test patch to gain final color approval.

TREMCO



Tremco Commercial Sealants & Waterproofing
3735 Green Road
Beachwood, OH 44122
US: 800.852.9068
Canada: 800.363.3213
www.tremcosealants.com



September 30, 2020

To Whom It May Concern:

RE: Tremco 830—Green Building Product Information (LEED v4.1 Information)

Tremco Incorporated is an organization that is committed to quality, our employees, and our environment. We are responsive to both internal and external customers, and we pledge to treat everyone with good stewardship and respect.

Tremco Incorporated certifies the following for Tremco 830:

Building Product Disclosure and Optimization:

Tremco 830 is manufactured in Toronto, Ontario, Canada.

No single extracted material is used to produce the majority of this product.

Recycled content for Tremco 830 is not available, and for the purposes of LEED reporting should be assumed to be zero.

Low Emitting Materials - VOC Content Information:

Tremco 830 is a specialty sealant with a VOC content of 330g/L equaling 35% as applied/mixed. As such, this product exceeds the VOC level limits set by SCAQMD rule 1168, except for Clear, which is exempt from regulation.

Note: VOC content values are as reported for the highest VOC content color for all Tremco 830 colors. Other colors may have a lower VOC content reported on their SDS.

Green Chemistry:

Tremco Incorporated is dedicated to the environment and prides itself on making its products as sustainable as possible. We are pleased to report that this product, depending on the color, is produced without any Red List chemicals. As such, it can be used to assist in finishing projects aimed towards achieving a Living Building Challenge certification. Please reach out to Tremco for assistance on which colors can be used for the credit.



Tremco Commercial Sealants & Waterproofing
3735 Green Road
Beachwood, OH 44122
US: 800.852.9068
Canada: 800.363.3213
www.tremcosealants.com

Manufacture Inventory (reported to 1000ppm):

Chemical Name or Role	CAS Number	Amount	GHS Hazard
Xylene	1330-20-7		
Hydrocarbon Resin		0-40%	Non-Hazardous
SEBS Polymer		<15%	Non-Hazardous
Filler		<15%	Non-Hazardous
Polybutene		<15%	Non-Hazardous
Ethylbenzene	100-41-4		
SEPS Polymer		<15%	Non-Hazardous
Titanium dioxide	13463-67-7		
Adhesion Promoter		<1%	Non-Hazardous
Toluene	108-88-3		
UV Stabilizer		<1%	Non-Hazardous
Butylated hydroxytoluene	128-37-0		
Carbon Black	1333-86-4		
Pigment		<15%	Non-Hazardous
Colorant		<1%	Non-Hazardous
Iron oxide	1309-37-1		
Phthalocyanine green	1328-53-6		
Plasticizer		<1%	Non-Hazardous
Aluminum oxide	1344-28-1		

Additional Information:

Should you have any questions or require additional information, please do not hesitate to contact Technical Services or your local Tremco Field Representative.

Sincerely,

Joe Kravetz

Product Steward

Compliance and Regulatory Affairs